


Hudsonian Godwit (*Limosa haemastica*)

Distribution and Migration in South America



Legend

Sites

- 1% criterion
- 0.25% criterion
- < 0.25% criterion
- Oversummering
- No recorded

Distribution

Flyways

- Atlantic Ocean
- Central Amazonia
- Western Amazonia
- Pacific Ocean

Scale: 1:34,500,000
GCS: WGS1984


Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance



This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No.LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.

Neotropic Cormorant (*Phalacrocorax olivaceus*) Distribution in South America



Legend

Sites

- 1% criterion
- < 1% criterion
- No recorded
- Distribution

Scale: 1:34,500,000
GCS: WGS1984

Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance

This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No.LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.



Upland Goose (*Chloephaga picta*) Distribution and Migration in South America



Legend

Sites

- 1% criterion
- < 1% criterion
- No recorded

Distribution

Migration routes

- Western Patagonia
- Central Patagonia
- Eastern Patagonia

Scale: 1:34,500,000
GCS: WGS1984

Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance

This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No. LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.



USAID
FROM THE AMERICAN PEOPLE



Two-banded Plover (*Charadrius falklandicus*) Distribution and Migration in South America



Legend

Sites

- 1% criterion
- < 1% criterion
- No recorded

Distribution

Migration routes

- Pacific Ocean
- Western Patagonia
- Eastern Patagonia
- Atlantic Ocean

Scale: 1:34,500,000
GCS: WGS1984

Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance

This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No.LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.



American Golden Plover (*Pluvialis dominica*) Distribution and Migration in South America



Legend

Sites

- 1% criterion
- 0.25% criterion
- < 0.25% criterion
- Oversummering
- No recorded

Flyways

- Central Amazonia
- Central Brazil
- Western Amazonia
- High Andes
- Pacific Ocean

Scale: 1:34,500,000
GCS: WGS1984

Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance



This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No. LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.

Black-necked Swan (*Cygnus melanocoryphus*) Distribution and Migration in South America



Legend

Sites

- 1% criterion
- < 1% criterion
- No recorded

Migration routes

- Western Patagonia
- Central Argentina
- Eastern Argentina

Scale: 1:34,500,000
GCS: WGS1984


Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance

This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No.LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.



Wilson's Phalarope (*Steganopus tricolor*) Distribution and Migration in South America



Legend

Sites

- 1% criterion
- 0.25% criterion
- < 0.25% criterion
- Oversummering
- No recorded

Flyways

- Andes-Pampas
- High Andes
- Pacific Ocean

Scale: 1:34,500,000
GCS: WGS1984


Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance



This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No.LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.

Brown-hooded Gull (*Larus maculipennis*) Distribution and Migration in South America




Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance



This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No. LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.

Grey-headed Gull (*Larus cirrocephalus*) Distribution and Migration in South America




Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance



This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No. LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.

Common Tern (*Sterna hirundo*) Distribution and Migration in South America



Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús


Global Avian Influenza Network for Surveillance



This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No. LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.

Speckled Teal (*Anas flavirostris*)

Distribution and Migration in South America



Legend

Sites

- 1% criterion
- < 1% criterion
- No recorded

Distribution

Migration routes

- Central Argentina
- Eastern Argentina
- Southern Andes
- Southern Chile

Scale: 1:34,500,000
GCS: WGS1984

Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús


Global Avian Influenza Network for Surveillance



This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No.LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.

Silver Teal (*Anas versicolor*)

Distribution and Migration in South America



Scale: 1:34,500,000
GCS: WGS1984

Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance



This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No.LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.

Red Shoveler (*Anas platalea*) Distribution and Migration in South America



Legend

Sites

- 1% criterion
- < 1% criterion
- No recorded

Migration routes

- Distribution
- Western Patagonia
- Central Argentina
- Eastern Argentina

Scale: 1:34,500,000
GCS: WGS1984

Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance

This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No. LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.



USAID
FROM THE AMERICAN PEOPLE



Yellow-billed Pintail (*Anas georgica*) Distribution and Migration in South America



Legend

Sites

- 1% criterion
- < 1% criterion
- No recorded

Distribution

Migration routes

- Central Argentina
- Eastern Argentina
- Southern Andes

Scale: 1:34,500,000
GCS: WGS1984

Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús


Global Avian Influenza Network for Surveillance

This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No. LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.



Southern Wigeon (*Anas sibilatrix*)

Distribution and Migration in South America



Legend

Sites

- 1% criterion
- < 1% criterion
- No recorded
- Distribution

Migration routes

- Andes
- Central Argentina
- Eastern Argentina

Scale: 1:34,500,000
GCS: WGS1984

Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús


Global Avian Influenza Network for Surveillance



This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No.LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.

Rosy-billed Pochard (*Netta peposaca*)

Distribution and Migration in South America



Legend

Sites

- 1% criterion
- < 1% criterion
- No recorded
- Distribution

Migration routes

- Eastern Argentina
- Central Argentina
- NW Argentina - S Brazil

Scale: 1:34,500,000
GCS: WGS1984

Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús


Global Avian Influenza Network for Surveillance



This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No.LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.

Buff-breasted Sandpiper (*Tryngites subruficollis*)

Distribution and Migration in South America




Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance

This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No. LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.



Pectoral Sandpiper (*Calidris melanotos*) Distribution and Migration in South America



Scale: 1:34,500,000
GCS: WGS1984


Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance

This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No. LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.



White-rumped Sandpiper (*Calidris fuscicollis*) Distribution and Migration in South America



Legend

Sites

1% criterion

0.25% criterion

< 0.25% criterion

Oversummering

No recorded

Distribution

Flyways

Central Amazonia

Western Amazonia

Atlantic Ocean

Scale: 1:34,500,000
GCS: WGS1984

Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús


Global Avian Influenza Network for Surveillance



This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No.LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.

Lesser Yellowlegs (*Tringa flavipes*)

Distribution and Migration in South America




Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance

This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No.LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.



Red Knot (*Calidris canutus rufa*) Distribution and Migration in South America



Scale: 1:34,500,000
GCS: WGS1984


Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance



This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No.LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.

Black Skimmer (*Rynchops niger*) Distribution and Migration in South America




Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance



This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No. LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.

Fulvous Whistling Duck (*Dendrocygna bicolor*) Distribution and Migration in South America



Scale: 1:34,500,000
GCS: WGS1984

Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús


Global Avian Influenza Network for Surveillance



This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No.LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.

White-faced Whistling Duck (*Dendrocygna viduata*)

Distribution and Migration in South America




Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance

This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No.LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.



Ruddy Turnstone (*Arenaria interpres*) Distribution and Migration in South America



Prepared by: Román J. Baigún, Daniel E. Blanco & Bernabé López-Lanús

Global Avian Influenza Network for Surveillance



This map was made possible through support provided by the Office of Health, Infectious Disease and Nutrition, Bureau for Global Health, U.S. Agency for International Development and Wildlife Conservation Society, under the terms of Leader Award No. LAG-A-00-99-00047-00, Cooperative Agreement: GHS-A-00-06-00005. The opinions expressed herein are those of the author(s) and do not necessarily reflect the views of the U.S. Agency for International Development or Wildlife Conservation Society.